45 6.33 614 PATENT COOP	From the INTERNATIONAL BUREAU
PCT	To:
NOTIFICATION OF ELECTION	United States Patent and Trademark Office
(PCT Rule 61.2)	(Box PCT) Crystal Plaza 2 Washington, DC 20231 ETATS-UNIS D'AMERIQUE
e of mailing (day/month/year) 13 May 1998 (13.05.98)	in its capacity as elected Office
Propertional application No. PCT/SE97/01604	Applicant's or agent's file reference H 1596-1 WO
ernational filing date (day/month/year) 24 September 1997 (24.09.97)	Priority date (day/month/year) 08 October 1996 (08.10.96)
plicant	
in a notice effecting later election filed with the	minary Examining Authority on: 1998 (07.04.98) RECFIVED International Bureau on:
The designated Office is hereby notified of its election X in the demand filed with the International Prelin 07 April 1	minary Examining Authority on: 1998 (07.04.98) RECFIVED International Bureau on: SEP V. 1999
The designated Office is hereby notified of its election X in the demand filed with the International Prelim O7 April 1 In a notice effecting later election filed with the	minary Examining Authority on: 1998 (07.04.98) RECFIVED International Bureau on: SEP U. U. 1999
The designated Office is hereby notified of its election X in the demand filed with the International Prelim O7 April 1 in a notice effecting later election filed with the	minary Examining Authority on: 1998 (07.04.98) RECFIVED International Bureau on: SEP U. U. 1999
The designated Office is hereby notified of its election X in the demand filed with the International Prelim 07 April 1 in a notice effecting later election filed with the The election X was was not	minary Examining Authority on: 1998 (07.04.98) RECFIVED International Bureau on: SEP 200, 1999
The designated Office is hereby notified of its election X in the demand filed with the International Prelim 07 April 1 in a notice effecting later election filed with the The election X was was not	RECFIVED International Bureau on: SEP V. 1999 GROUP 1800
The designated Office is hereby notified of its election X in the demand filed with the International Prelim O7 April 1 In a notice effecting later election filed with the The election X was was not made before the expiration of 19 months from the present the second content of th	RECFIVED International Bureau on: SEP V. 1999 GROUP 1800
The designated Office is hereby notified of its election X in the demand filed with the International Prelim O7 April 1 in a notice effecting later election filed with the The election X was was not	PRECEIVED International Bureau on: SEP 900 (GROUP 1800)
The designated Office is hereby notified of its election X in the demand filed with the International Prelim O7 April 1 In a notice effecting later election filed with the The election X was was not made before the expiration of 19 months from the present the second content of th	PRECEIVED International Bureau on: SEP 900 (GROUP 1800)

1211 Geneva 20, Switzerland

Telephone No.: (41-22) 338.83.38

PCT

REQUEST

For re	g Office use only
International Application No.	
International Filing Date	
Name of receiving Office and "	PCT International Application"

	International Filing Da	te		
The undersigned requests that the present international application be processed	·			
according to the Patent Cooperation Treaty.	Name of receiving Offi	ce and "PCT International Application"		
	Applicant's or agent's f (if desired) (12 characters	ile reference		
Box No. I TITLE OF INVENTION				
PHARMACEUTICAL COMPOSITIONS				
Box No. II APPLICANT				
Name and address: (Family name followed by given name: for a legal en The address must include postal code and name of country. The country of t Box is the applicant's State (i.e. country) of residence if no State of resident		· ——		
	ce is indicated below.)	This person is also inventor.		
ASTRA AKTIEBOLAG		Telephone No. +46 8 553 260 00		
S-151 85 SÖDERTÄLJE	•	Facsimile No.		
Sweden		+46 8 553 288 20		
		Teleprinter No.		
State (i.e. country) of nationality:	Sec. (i	19237 ASTRA S		
SE This person is sentioned.	State (i.e. country) of re	sidence: SE		
for the purposes of: All designated X all designated X the United States The United S		United States America only the States indicated in the Supplemental Box		
Box No. III FURTHER APPLICANT(S) AND/OR (FURTHE	ER) INVENTOR(S)			
Name and address: (Family name followed by given name; for a legal entis The address must include postal code and name of country. The country of the Box is the applicant's State (i.e. country) of residence if no State of residence	ry, full official designation. e address indicated in this e is indicated below?	This person is:		
•	,	applicantonly		
LÖFROTH, Jan-Erik Ringleken 13				
S-431 69 MÖLNDAL		X applicant and inventor		
Sweden		inventor only (If this check-bax is marked, do not fill in below.)		
State (i.e. country) of nationality:	State (i.e.			
SE	State (i.e. country) of res	SE		
This person is applicant or the purposes of: all designated all designated the United States the United States		United States the States indicated in the Supplemental Box		
X Further applicants and/or (further) inventors are indicated on a	continuation sheet.			
Sox No. IV AGENT OR COMMON REPRESENTATIVE; O		RRESPONDENCE		
he person identified below is hereby/has been appointed to act on be f the applicant(s) before the competent International Authorities as:	chaif X age	nt common representative		
fame and address: (Family name followed by given name; for a legal entity, The address must include postal code and name of cou	, full official designation.	elephone No.		
Patent Department	<u> </u>	+46 8 553 260 00		
Astra Aktiebolag		acsimile No.		
5-151 85 SÖDERTÄLJE	_	146 8 553 288 20		
oweden .	T	eleprinter No. 19237 ASTRA S		
Mark this check-box where no agent or common representative is indicate a special address to which correspondence should be sen	s/has been appointed and			

Sheet No 2					
Continuation of Box No. III FUR ER APPLICANTS AND/O					
If none of the following sub-boxes is used, this sheet is not to be included in the request.					
Name and address: (Family name followed by given name; for a legal entity, furthe address must include postal code and name of country. The country of the address must include postal code and name of country. The country of the address is the applicant's State (i.e. country) of residence if no State of residence is in ODMAN, Jonas Kullegatan 3A S-412 62 GÖTEBORG Sweden	Il official designation. dress indicated in this indicated below.) This person is: applicant only X applicant and inventor inventor only (If this check-box is marked, do not fill in below.)				
JC	(i.e. country) of residence:				
This person is applicant for the purposes of: all designated the United States of A	America only the Supplemental Box				
Name and address: (Family name followed by given name; for a legal entity, full The address must include postal code and name of country. The country of the address is the applicant's State (i.e. country) of residence if no State of residence is included in the applicant of the address is the applicant of the address in the applicant of the address is the applicant of the address in the applicant of the address is the applicant of the address in the applicant of the address is the applicant of the address in th	official designation. ess indicated in this icated below.) This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)				
State (i.e. country) of nationality: State	(i.e. country) of residence:				
This person is and the	the sound of residence:				
for the purposes of: States the United States of An	nerica of America only the Supplemental Box				
Name and address: (Family name followed by given name; for a legal entity, full of The address must include postal code and name of country. The country of the address must include postal code and name of country. The country of the address Box is the applicant's State (i.e. country) of residence if no State of residence is indicated in the applicant of the address in the applicant's State (i.e. country) of residence if no State of residence is indicated and address the applicant of the address and addres	ficial designation. is indicated in this atted below.) This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)				
State (i.e. country) of nationality: State (i	e. country) of residence:				
This person is applicant all designated all designated States exc for the purposes of: States the United States of Am	erica of America only the Supplemental Box				
Name and address: (Family name followed by given name; for a legal entity, full offi The address must include postal code and name of country. The country of the address Box is the applicant's State (i.e. country) of residence if no State of residence is indicated as a state of the applicant's State (i.e. country) of residence if no State of residence is indicated as a state of the applicant's State (i.e. country) of residence if no State of residence is indicated as a state of the applicant's State (i.e. country) of the address of the applicant's State (i.e. country) of the address of the applicant's State (i.e. country) of the address of the applicant is indicated as a state of the address of the add	cial designation. indicated in this ted below.) This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)				
tate (i.e. country) of nationality: State (i.e.	country) of residence:				
his person is applicant all designated all designated States except the purposes of: States all designated all designated States of American	of America only the Supplemental Box				
Further applicants and/or (further) inventors are indicated on another c	ontinuation sheet.				

Box	k No.V	DESIGNATION OF TES 10 110 1			
The	follo	wing designations are hereby made under Rule 4.	9(a) (mark (the applicable check-boxes; at least one must be marked):
Reg	ional	Patent	- (applicable theth boxes, at least one must be murked):
E	J AP	P ARIPO Patent: GH Ghana, KE Kenya, LS ZW Zimbabwe, and any other State which is a Co	Lesor	tho,	MW Malawi, SD Sudan, SZ Swaziland, UG Uganda,
X	EA	A Eurasian Patent: AM Armenia AZ Azerbaii:	ian, B` .TM:	IV Rei	larus, KG Kyrgyzstan, KZ Kazakstan, MD Republic of nenistan, and any other State which is a Contracting State
Ø] EP	European Patent: AT Austria, BE Belgium, CH ES Soain, FI Finland, FR France, GR United King	I and I		vitzerland and Liechtenstein, DE Germany, DK Denmark, reece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, tate which is a Contracting State of the European Patent
☒	OA	which is a member State of OAPI and a Contracting	ng Stat	te of the	an Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, er, SN Senegal, TD Chad, TG Togo, and any other State he PCT (if other kind of protection or treatment desired, specify
Natio	onal I	Patent (if other kind of protection or treatment desire	ed, sp	ecify c	on datted line):
Ø		Albania	× ×	_	/ Latvia
X	AM	1 Armenia	×		D Republic of Moldova
X		Austria	N N	M	G Madagascar
X		Australia	×	-	K The former Yugoslav Republic of Macedonia
×		Azerbaijan	_	. •	
\boxtimes		Bosnia and Herzegovina	Ø	M	N Mongolia
\boxtimes	BB	Barbados	N N		W Malawi
×		Bulgaria	<u>⊠</u>		
X		Brazil		NO.	Mexico
X		Belarus			Norway
XI		Canada	⊠ ⊠	174 170	New Zealand
		and LI Switzerland and Liechtenstein	⊠ ⊠	PL PT	Poland
<u>区</u>			Ø.	2.0	Portugal
X X		Cuba	⊠ ⊠		Romania
_		Cuba	Ø		Russian Federation
X		Czech Republic	☒	SD	Sudan
X		Germany	\boxtimes	SE	
X		Denmark	\boxtimes	SG	G-F
· (X)		Estonia	X	SI	Slovenia
\boxtimes		Spain	×	SK	Slovakia
\boxtimes		Finland	\boxtimes	SL	Sierra Leone
\boxtimes		United Kingdom	\boxtimes	ТJ	Tajikistan
X	GE	Georgia	\boxtimes		Turkmenistan
\boxtimes		Ghana	Ø	TR	Turkey
X		Hungary	<u> </u>	TT	Turkey Trinidad and Tobago
×		Israel	Ø		filmulae and robago
\boxtimes		Iceland		TIC	Ukraine
X		Japan		US	Uganda
\boxtimes		Kenya	تنا	US	United States of America
×		Kyrgyzstan	וא	*17	Ilababiasa
×		Democratic People's Republic of Korea	Σ) Σ		Uzbekistan
_			Σ.	VN	Viet Nam
\boxtimes		Republic of Korea	N N	YU	Yugoslavia
_		Republic of Korea	Chec	ZW	Zimbabwe
=		Kazakstan	a nar	ional	ses reserved for designating States (for the purposes of patent) which have become party to the PCT after
_		Saint Lucia Sri Lanka		****	t uns succt.
			<u> </u>		Indonesia
		Liberia	<u> </u>	• • • • •	
=		Lesotho	<u> </u>	• • • • •	
_		Lithuania	□ .		
× ·	LU I	Luxembourg		• • • • • •	***************************************
n add	lition	to the decignations made above the applicant also r			Rule 4.9(b) all designations which would be permitted
inder t	he PC	T except the designation(s) of	lakca	under	Rule 4.9(b) all designations which would be permitted

The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation of a designation consists of the filing of a notice specifying that designation and the payment of the designation and confirmation fees. Confirmation must reach the receiving Office within the 15-month time limit.)

Sheet No. Box No. VI PRIORITY CLAIM o in Further priority claims are cated in the Supplemental Box The priority of the following earlier application(s) is hereby claimed: Country (in which, or for which, the application was filed) Filing Date Office of filing Application No. (day/month/year) (only for regional or international application) item(1) (08 October 1996) Sweden 08.10.1996 9603667-8 item (2) item (3) Mark the following check-box if the certified copy of the earlier application is to be issued by the Office which for the purposes of the present international application is the receiving Office (a fee may be required): The receiving Office is hereby requested to prepare and transmit to the International Bureau a certified copy of the earlier application(s) identified above as item(s): (1) Box No. VII INTERNATIONAL SEARCHING AUTHORITY Choice of International Searching Authority (ISA) (If two or more International Searching Authorities are competent to carry out the international search, indicate the Authority chosen; the two-letter code may be used): ISA / SE Earlier search Fill in where a search (international, international-type or other) by the International Searching Authority has already been carried out or requested and the Authority is now requested to base the international search, to the extent possible, on the results of that earlier search. Identify such search or request either by reference to the relevant application (or the translation thereof) or by reference to the search request: Country (or regional Office): Date (day/month/year): Number: Sweden 07 May 1997 (07.05.1997) SE96/01092 Box No. VIII CHECK LIST This international application contains This international application is accompanied by the item(s) marked below: the following number of sheets: separate signed 5. fee calculation sheet I. request power of attorney sheets copy of general power of attorney 6.
GF 1583/96 & GF752/97 statement explaining 7. 2. description: 16 sheets separate indications concerning deposited microorganisms 3. claims 2 sheets 4. abstract 1 sheets nucleotide and/or amino acid sequence listing (diskette) lack of signature 2 5. drawings sheets priority document(s) identified in Box No. VI other (specify): Total: 25 sheets as item(s): ITS SE 96/01092 Figure No. of the drawings (if any) should accompany the abstract when it is published. B x No. IX SIGNATURE OF APPLICANT OR AGENT Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not obvious from reading the request). Södertälje, 23 September 1997 arch bulent

<u> Patent Department, Astra Aktie</u>	bolag	
Date of actual receipt of the purported international application:	For receiving Office use only	2. Drawings:
 Corrected date of actual receipt due to later but timely received papers or drawings completing the purported international application: 		received:
Date of timely receipt of the required corrections under PCT Article 11(2):	·	not received:
5. International Searching Authority ISA / specified by the applicant:	6. Transmittal of search copy delayed until search fee is paid	
Power Fr	or International Bureau use only	

Date of receipt of the record copy by the International Bureau:

1945655 PATENT COOPERATION TREATY

REC'D

ÍNTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference FOR FURTHER ACTION See Notification of Transmittal of Internation					
H 1596-1 WO	Preliminary Examination Report (Form PC1/IPEA/416)				
International application No.	International filing date	(day/month/year)	Priority date (day/month/year)		
PCT/SE97/01604	24.09.1997		08.10.1996		
International Patent Classification (IPC)	or national classification a	nd IPC6			
A 61 K 9/20 A 61 K 3	1/19				
			APR G 5 1999 .		
			GRUUP 1800		
Applicant	_		011001 1000		
ASTRA AKTIEBOLAG et a	1				
This international preliminary ex.	amination report has been	prepared by this Inte	ernational Preliminary Examining		
Authority and is transmitted to the					
2. This REPORT consists of a total	of 5 sheets	, including this cover	sheet.		
			tion, claims and/or drawings which have		
been amended and are the	basis for this report and/or	sheets of the descript	ectifications made before this Authority		
(see Rule 70.16 and Section					
These annexes consist of a total of	of sheets				
			<u> </u>		
3. This report contains indications r	3. This report contains indications relating to the following items:				
I Basis of the report					
II Priority	II Priority				
Ⅲ Non-establishment o	f opinion with regard to no	ovelty, inventive step	and industrial applicability		
IV Lack of unity of inve	ntion		Ŧ		
			entive step or industrial applicability;		
citations and explana VI Certain documents c	ations supporting such stat	ement	•		
	e international application				
	on the international appli				
VIII Certain observations	on the international appli	· ·			
			·		
Date of submission of the demand		Date of completion	of this report		
07.04.1998 05.02.1999					
Name and mailing address of the IPEA/SE Authorized officer					
Patent- och registreringsverket Telex Box 5055 17978					
Box 5055 S-102 42 STOCKHOLM	PATOREG-S	Anneli Jön	sson		
Facsimile No. 08-667 72 88 Telephone No. 08-782 25 00					

Form PCT/IPEA/409 (cover sheet) (January 1994)

International application No.

PCT/SE97/01604

I. Basis of the report			
l. This report has been drawn o under Article 14 are referred to in	on the basis of (Replacement and this report as "originally filed	sheets which have been furnished to the receiv d" and are not annexed to the report since the	ring Office in response to an invitation y do not contain amendments.):
the internationa	l application as originally f	iled.	•
the description,	pages	_ , as originally filed,	
]		, filed with the demand,	
	pages	filed with the letter of	,
	pages		
the claims,	Nos.	, as originally filed,	
	'	, as amended under Article 19,	
	Nos.	, filed with the demand,	
	Nos.	, filed with the letter of	APR 0 5 1900
	Nos.	, filed with the letter of	GROUP TRAN
the drawings,	sheets/fig	, as originally filed,	
		, filed with the demand	
	sheets/fig	Glad mid-at 1 44 C	
the description, the claims, the drawings, This report has been es go beyond the disclosu	Nos. sheets/fig stablished as if (some of) the	e amendments had not been made, since the supplemental Box (Rule 70.2(c)).	e they have been considered to
4. Additional observations, if ne	rcessaty:		
Transfer Cook Validia, if ite	ocsany.		
n.,	et et en		
			•

International application No.

PCT/SE97/01604

III. Non-establishment of opinion with regard to novelty, inventive step and industrial applicability
The questions whether the claimed invention appears to be novel, to involve an inventive step (to be non obvious), or to be industrially applicable have not been examined in respect of:
the entire international application,
claims Nos. <u>12-13</u>
because:
57 the said international application, or the said claims Nos 12-13
relate to the following subject matter which does not require an international preliminary examination (specify):
See PCT Rule 67.1(iv):Methods for treatment of the human or animal body by surgery or therapy, as well as diagnostic methods.
- ·
the description, claims or drawings (indicate particular elements below) or said claims Nos. are so unclear that no meaningful opinion could be formed (specify):
are so uncrear that no meaningful opinion could be formed (specify).
·
The second secon
the claims, or said claims Nos are so inadequately supported by the description that no meaningful opinion could be formed.
no international search report has been establised for said claims Nos.

Claims

International application No. PCT/SE97/01604

> YES NO

> YES NO

YES

V. Resoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1.	Statement		
	Novelty (N)	Claims Claims	1-11
	Inventive step (IS)	Claims	1-11
	nivelitive step (18)	* ****	

Industrial applicability (IA) Claims NO Claims

2. Citations and explanations

The claimed invention pertains to a pharmaceutical composition HMG-CoA-reductase inhibitor fluvastatin. comprising the Fluvastatin is a water soluble drug with a high solubility in water (>30 mg/ml in water at 37 °C). The invention provides a pharmaceutical composition comprising a water soluble salt of fluvastatin. The composition can be selected from the group (eroding or non-eroding), diffusionsmatrix formulations coated formulations combinations and controlled membrane thereof.

Document US 5 356 896 A discloses a stabilised pharmaceutical reductase inhibitor the HMG-CoA comprising composition composition comprises fluvastatin The fluvastatin. intimate contacting association with an "alkaline stabilising medium" to achieve optimal stability of the medicament. The dosage form can be coated with a film or be coated with an enteric layer. The composition disclosed is not a composition with a sustained release of the fluvastatin. The composition disclosed disintegrates fast and provides a rapid intestinal The film-coated tablet absorption of the drug. of about 10 to 30 minutes. The enteric disintegration time coated tablet has a disintegration time if about 30 to about 6 is applied to protect against enteric layer hours, the the drug prior reaching premature degradation of intestinal absorption site. The document does not disclose a sustained with composition administering fluvastatin a release. The document only discloses the general state of the prior art.

. . . / . . .

International application No.

PCT/SE97/01604

Supplemental Box

(To be used when the space in any of the preceding boxes is not sufficient)

Continuation of: V.

Document EP 465096 Al discloses a composition with time controlled administration of an HMG-CoA reductase inhibitor. time controlled administration (time-controlled administration during 6-24 hours) is achieved by, for example, diffusion controlled systems, osmotic devices, dissolution controlled matrices and erodible/degradable matrices. dosage form disclosed comprises a HMG-CoA reductase inhibitor, example, simvastatin or lovastatin, in a matrix of hydroxypropyl methyl cellulose (as is preferred in the present claim 4). A composition comprising fluvastatin is not disclosed. The solubility of fluvastatin is different from the solubility of lovastatin or simvastatin. The water solubility at pH 5.0 at room temperature for lovastatin and simvastatin and at pH 6.0 for fluvastatin has been measured. The volume of water required to dissolve a 20 mg dose of lovastatin, simvastatin and fluvastatin sodium is 15385, 14286 and 10 ml, respectively. Therefore, it is not obvious to a person skilled in the art to include fluvastatin in the dosage form disclosed in the document EP 465096 to obtain a composition with a sustained release of fluvastatin. Consequently, the document only discloses the general state of the prior art.

Therefore, the invention according to claims 1-11 is considered to fulfil the requirements of novelty, inventive step and industrial applicability.

The second



9603667-8

LD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT) (51) International Patent Classification 6: WO 98/15264 (11) International Publicati n Number: A1 A61K 9/20, 31/19 (43) International Publicati n Date: 16 April 1998 (16.04.98) (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, PCT/SE97/01604 (21) International Application Number: BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, (22) International Filing Date: 24 September 1997 (24.09.97) LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, (30) Priority Data:

(71) Applicant (for all designated States except US): ASTRA AKTIEBOLAG [SE/SE]; S-151 85 Södertälje (SE).

8 October 1996 (08.10.96)

(72) Inventors; and (75) Inventors/Applicants (for US only) LÖFROTH, Jan-Erik [SE/SE]; Ringleken 13, S-431 69 Mölndal (SE), ÖDMAN, Jonas [SE/SE]; Kullegatan 3A, S-412 62 Göteborg (SE).

(74) Agent: ASTRA AKTIEBOLAG; Patent Dept., S-151 85 Södertälje (SE).

TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: PHARMACEUTICAL COMPOSITIONS FOR SUSTAINED RELEASE OF THE HMG-COA REDUCTASE INHIBITOR **FLUVASTATIN**

(57) Abstract

The present invention relates to pharmaceutical compositions for sustained release comprising a water-soluble salt of the HMG-CoA reductase inhibitor fluvastatin as active ingredient, said composition being selected from the group comprising matrix formulations, diffusion-controlled membrane coated formulations; and combinations thereof.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR -	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	us	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JР	Јарал	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PĹ.	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

WO 98/15264 PCT/SE97/01604

1

PHARMACEUTICAL COMPOSITIONS FOR SUSTAINED RELEASE OF THE HMG-Coa REDUCTASE INHIBITOR **FLUVASTATIN**

TECHNICAL FIELD

5 The present invention relates to pharmaceutical compositions for sustained release comprising a water soluble salt of the HMG-CoA reductase inhibitor fluvastatin as active ingredient, said composition being selected from the group comprising matrix formulations, diffusion-controlled membrane coated formulations; and combinations thereof.

10

BACKGROUND ART

Sustained-release compositions

15

25

30

In recent years there has been a large increase in the development and use of sustained-release tablets which are designed to release the drug slowly after ingestion. With these types of dosage forms, the clinical utility of drugs can be improved by means of improved therapeutic effects, reduced incidence of adverse

20 effects and simplified dosing regimens.

> A sustained-release tablet releases the drug during several hours, typically more than 3 hours and less than 30 hours. Other commonly used terms such as "controlled release", "extended release", "prolonged release", etc., all comply with the definition of a product that releases the drug typically over more than 3 hours.

Several different types of formulations exist to obtain sustained release of a drug. The different formulations all aim to have release of the drug from the formulation, rather than the absorption process of the drug, as the rate limiting step. For this purpose, approaches based on the control of, e.g., dissolution,

diffusion, swelling, osmotic pressure, complexation, ion-exchange, etc., can be employed. The actual approach taken for a given drug depends *inter alia* on the physical chemical properties of the drug. One of these is the solubility of the drug, which has a major impact on the pharmaceutical formulation strategy. A high solubility of the drug substance may induce problems, as discussed further below. However, in general, sustained release can be obtained according to the following principles, or combinations of them:

(i) By formulating the drug in an insoluble matrix. The gastrointestinal fluid penetrates the matrix, the drug is dissolved and diffuses out of the matrix and is absorbed. The driving force for diffusion is the concentration of the drug in the aqueous solution created by the penetrating gastrointestinal fluid. Thus, the higher the solubility, the higher the aqueous concentration of the drug in the matrix, and the faster the diffusional transport of the drug out of the matrix. If the matrix is a swelling matrix, e.g. a crosslinked (ionic) polymer with entrapped solid drug, the swelling kinetics of the matrix, the dissolution rate of the drug, and the diffusion of the drug will all contribute to the overall release rate. However, if the solubility of the drug is high, the release rate will be characterized by the diffusional transport after an initial swelling has occurred.

20

25

30

5

10

1.5

A similar principle applies when drug particles or cores containing the active drug are coated with an insoluble but porous membrane of polymers. In this case, the gastrointestinal fluids penetrates the membrane, the drug is dissolved and thereafter diffuses out of the coated particle through the membrane. The driving force for diffusion is the concentration of the drug in the aqueous solution created by the penetrating gastrointestinal fluid. Thus, the higher the solubility, the higher the aqueous concentration of the drug in the matrix, and the faster the diffusional transport of the drug over the membrane. It can be argued that the transport rate with this type of formulation is dictated by the pores in the membrane.

Nevertheless, it is the solubility which creates a high concentration gradient over

5

10

15

20

the membrane and which then is important for the transport rate from the formulation.

- (ii) By formulating the drug in an eroding matrix of, e.g. a soluble polymer. The rate with which the drug will be available at the absorption site is for these matrices a combination of the swelling and erosion rates of the matrix, and the dissolution and diffusion rates of the drug. A formulation based on this principle for a soluble drug might not show acceptable sustained release due to the high concentration gradient of the drug that can be created after an initial swelling of the polymer, leading to a diffusional transport of the drug instead of a release controlled by the erosion, i.e. the dissolution of the polymer.
- (iii) Release controlled by osmotic pressure, whereby a semipermeable membrane is placed around a tablet or drug particle which allows transport of water into the formulation by osmosis. As a result of increased internal pressure when the drug dissolves, drug solution is then pumped out of the tablet through a small hole in the coating. The size of the orifice in the coating controls both the volume flow into the core reservoir, and the drug solution release rate. If the drug has a high solubility, the size of the orifice must be made small to prolong the release rate. This might then create problems with the possible build up of a high hydraulic pressure inside the device until the walls ruptures.

Improved drug delivery by sustained release has been discussed more extensively in the literature, e.g. in:

- Langer and Wise (Eds.) "Medical Applications of Controlled Release", vols I and
 II, CRC Press Inc, Boca Raton, 1984;
 - Robinson and Lee (Eds.) "Controlled Drug Delivery fundamentals and applications", Marcel Dekker, NY, 1987;
- Bogentoft and Sjögren, in "Towards Better Safety of Drugs and Pharmaceutical
 Products" (Ed: Breimer), Elsevier, 1980.

PCT/SE97/01604

As mentioned above, the drug release from sustained release formulations is related to the drug solubility. The higher the water solubility of the drug, the faster the drug release and the shorter the duration of drug delivery. A fast release of the drug might mean that the desired rate and duration can not be obtained and that the beneficial effects of sustained release administration are lost. Thus, a special challenge is met when trying to formulate water soluble substances for sustained release formulations. One way to try to solve this problem would be to include large amounts of slow release exipients in the formulation. However, this approach has drawbacks such as increased costs and increased size of the formulation. Increased physical size of the dosage form may present problems for some patients, since the tablet will be more difficult to swallow. Another possibility is to use a less water soluble salt. However, such a change requires a more extensive development work and may also lead to bioavailability problems due to incomplete dissolution.

HMG-CoA Reductase Inhibitors

5

10

15

20.

25

30

Hypercholesterolemia is related to an increased risk of coronary heart diseases. A possible way to reduce cholesterol levels in a patient is to inhibit the enzyme 3-hydroxy-3-methyl-glutaryl coenzyme A (HMG-CoA) reductase, which is a key enzyme in the regulation of cholesterol biosynthesis. The HMG-CoA reductase inhibitors constitute a well known group of therapeutic agents for the treatment of hypercholesterolemia, which group comprises fermentation products such as lovastatin and pravastatin, as well as semi-synthetic analogs such as simvastatin. More recently have completely synthetic drugs, e.g. fluvastatin, been developed.

The use of some HMG-CoA reductase inhibitors for the preparation of a medicament adapted for time-controlled administration is disclosed in EP-B-0 375 156.

Fluvastatin (R*, S*-(E)-(\pm)-7-[3-(4-fluorophenyl)-1-(1-methyl-ethyl)-1H-indol-2-yl]-3,5-dihydroxy-6-heptenoic acid) is known from EP-A-0 114 027.

fluvastatin

Fluvastatin is a water soluble drug. For example, the solubility of the sodium salt of fluvastatin in water extends to more than 50 g/l. Biopharmaceutical requirements of a sustained release product of this water soluble drug would then at first sight impose formulation problems, as discussed above. Thus, with a diffusion controlled release device for this soluble substance, e.g. an insoluble matrix of a polymer, fast release rates can be expected due to the high solubility of fluvastatin creating high concentration gradients as the driving force for diffusion out of the matrix.

15

20

5

10

Second, an eroding matrix of fluvastatin is not expected to be useful due to the high concentrations of the drug in solution that can be the result when the gastrointestinal fluid penetrates the matrix. The erosion of the matrix, e.g. by dissolution of the outer hydrated polymer layers, would then indeed not be a rate controlling factor, except perhaps only for a first initial short time during hydration and swelling of the matrix.

Finally, advanced techniques with high production costs are expected to be necessary to produce osmotic pressure controlled formulations. The high solubility of fluvastatin is also expected to complicate the action of such formulations. Thus, a small orifice would be needed in order to keep the rate low with which the amount of drug is pumped out through such devices. With a small orifice, however, the hydrostatic pressure that will be built up would put demands on the choice of a strong polymer membrane.

Consequently, there is a need for pharmaceutical formulations of HMG-CoA reductase inhibitors which avoid the above mentioned drawbacks and are possible to prepare, e.g., without including large amounts of slow release excipients or the use of highly advanced techniques. Preferably, the production costs of the formulations should be low.

15

10

5

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1: Release of fluvastatin and methylparaben, and tablet erosion, from sustained-release tablets based on polyethylene oxide (PEO) 8,000,000.

20

- Fig. 2: Release of fluvastatin, methylparaben and diclofenac from sustained-release tablets based on xanthane.
- Fig. 3: Release of fluvastatin and methylparaben from sustained-release tablets

 based on paraffin, and release of fluvastatin from immediate release (IR) capsules.
 - Fig. 4: Release rate of fluvastatin and diclofenac over a polymeric membrane in a two-compartment cell at different concentrations in donor chamber.

DISCLOSURE OF THE INVENTION

It has surprisingly been found that sustained-release compositions, comprising fluvastatin as a water soluble salt, exhibit particularly favorable release characteristics such as unexpectedly long duration and slow rate of drug release. In the present context, the term "water soluble" should be understood as a solubility of more than 30 mg/ml in water at +37°C.

Consequently, the present invention provides a pharmaceutical composition for sustained release comprising a water soluble salt, preferably the sodium salt, of fluvastatin as an active ingredient. The sustained-release fluvastatin compositions for which these favorable properties are obtained are selected from the group comprising matrix formulations, diffusion-controlled membrane coated formulations; and combinations thereof.

15

5

The said eroding and non-eroding matrix formulations can be based on hydrophilic and/or hydrophobic matrix forming excipients. The matrix and membrane coated formulations may be monolithic, such as tablets, or in the form of multiple units administered in a tablet, capsule or sachets.

20

The hydrophilic or hydrophobic, eroding or non-eroding, matrix material and the material for film formation, can be, but is not limited to:

- cellulose derivatives such as ethyl cellulose, hydroxypropyl methyl cellulose,
 hydroxypropyl cellulose, ethyl hydroxyethyl cellulose, carboxymethyl
 cellulose, cellulose acetate butyrate, cellulose acetate phtalate, etc;
 - polysaccharides, like alginate; xanthane; carrageenan; scleroglucan; pullulan;
 dextran; haluronic acid; chitin; chitosan; starch; etc;

20

- other natural polymers, like proteins (e.g. albumin, gelatine); natural rubber;
 etc;
- synthetic polymers, like acrylates (e.g. polymethacrylate, poly(hydroxy ethyl methacrylate), poly(methyl methacrylate), poly(hydroxy ethyl methacrylate - co 5 methyl methacrylate), Carbopol 934™); polyamides (e.g. polyacrylamide, poly(methylene bisacrylamide)); polyanhydrides (e.g. poly(bis carboxyphenoxy)methane); PEO-PPO block-co-polymers (e.g. poloxamers, etc); polyvinyl chloride; polyvinyl pyrrolidone; polyvinyl acetate; polyvinyl alcohol; 10 polyethylene, polyethylene glycols and co-polymers thereof; polyethylene oxides and co-polymers thereof; polypropylene and co-polymers thereof; polystyrene; polyesters (e.g. poly(lactic acid), poly(glycolic acid), poly(caprolactone), etc, and co-polymers thereof, and poly(ortho esters), and co-polymers thereof); resins (e.g.-Dowex[™], Amberlite[™]); polycarbonate; 15 cellophane; silicones (e.g. poly (dimethylsiloxane)); polyurethanes; synthetic rubbers (e.g. styrene butadiene rubber, isopropene rubber); etc;
 - others, like shellacs; waxes (e.g. carnauba wax, beeswax, glycowax, castor wax);
 nylon; stearates (e.g. glycerol palmitostearate, glyceryl monostearate, glyceryl tristearate, stearyl alcohol); lipids (e.g. glycerides, phospholipids); paraffin; etc.

Combinations of the above mentioned materials are also possible.

In a preferred form, the invention provides a pharmaceutical composition as
described above which is an eroding matrix formulation, wherein the matrix
material is selected from the group comprising polyethylene oxide,
hydroxypropyl methyl cellulose and paraffin.

WO 98/15264 PCT/SE97/01604

In another preferred form, the said pharmaceutical composition is a non-eroding matrix formulation, wherein the matrix material is selected from the group comprising xanthane and polyvinylchloride.

- In yet another preferred form, the said pharmaceutical composition is a diffusioncontrolled membrane coated formulation, wherein the material for film formation is selected from the group comprising ethyl cellulose, hydroxypropyl methyl cellulose and hydoxypropyl cellulose.
- In the present context, the term "fluvastatin" comprises both of the pure enantiomers, as well as racemic mixtures.

15

20

25

30

The water soluble salts of fluvastatin to be used in the compositions according to the invention comprise e.g. the sodium, potassium, ammonium salts. The sodium salt is preferred.

The pharmaceutical formulations according to the invention are useful for lowering the blood cholesterol level in animals, in particular mammals, e.g. humans. They are therefore useful as hypercholesterolemic and antiatherosclerotic agents.

Consequently, the invention provides in another aspect the use of fluvastatin for the manufacture of a pharmaceutical composition for sustained release, for the treatment of hypercholesterolemia. Preferably, the said composition is selected from the group comprising matrix formulations, diffusion-controlled membrane coated formulations; and combinations thereof.

In yet another aspect, the invention provides a method for the treatment of hypercholesterolemia comprising administering to a mammal, including man, a therapeutically effective amount of a pharmaceutical composition for sustained

release, comprising fluvastatin. Preferably, the said composition is selected from the group comprising matrix formulations, diffusion-controlled membrane coated formulations; and combinations thereof.

The pharmaceutical formulations according to the invention can be prepared by use of well known pharmaceutical processing techniques such as blending, granulation, milling, spray drying, compaction, or coating.

The typical daily dose of the active substance fluvastatin varies within a wide range and will depend on various factors such as for example the individual requirement of each patient and the disease. In general, sustained-release dosages will be in the range of 1 to 1000 mg of fluvastatin per day, preferably 2 to 200 mg/day.

15


20

25

10

EXAMPLES OF THE INVENTION

To exemplify the unexpectedly favorable properties of fluvastatin in matrix formulations and membrane coated formulations, the release profile of fluvastatin sodium (water solubility > 50 mg/ml) was compared with two other water soluble drugs, namely methylparaben (methyl p-hydroxybenzoate; water solubility $\approx 2 \text{ mg/ml}$) and diclofenac sodium (2-[(2,6-dichlorophenyl)amino] benzeneacetic acid monosodium salt; water solubility $\approx 5 \text{ mg/ml}$).



methylparaben

diclofenac sodium

Methylparaben and diclofenac sodium could be expected to exhibit a somewhat slower release rate and longer duration of release, due to the lower water solubility. However, unexpectedly, the release of fluvastatin was consistently slower than methylparaben and diclofenac sodium for all the tested types of sustained-release formulations.

In the following Examples 1 to 3, drug release from various types of tablets was determined in pH 6.8, +37°C, by use of an USP II apparatus at a paddle stirring rate of 75 rpm. All tablet formulations were manufactured by conventional techniques and, for each example, in an identical manner except for the drug constituent.

15

20

10

5

EXAMPLE 1: Drug release and tablet erosion for eroding polyethyleneoxide (PEO) matrix tablet.

Fluvastatin or methylparaben (10 mg each) were formulated in an eroding matrix of PEO 8,000,000 (58 mg) and magnesium stearate (0.7 mg). Tablet erosion was determined by weighing after removal of the tablets from the dissolution apparatus and drying to constant weight.

The results (Fig. 1) show that release of fluvastatin from the sustained release
tablet was slower than the release of methylparaben in spite of the higher
solubility. The tablet erosion and drug release was almost identical for fluvastatin

whereas for the methylparaben tablet, as could be expected for a water soluble drug, the drug release was faster than the tablet erosion. This was a further indication that fluvastatin has unexpectedly favourable extended release properties when administered as an eroding matrix tablet both compared to what could expected from tablet erosion data and compared to another somewhat less soluble drug.

EXAMPLE 2: Release from a non eroding high molecular weight xanthane matrix tablet.

Fluvastatin, methylparaben or diclofenac (5 mg each) were formulated in a non-eroding matrix of xanthane (195 mg).

15 The results (Fig. 2) show that release of fluvastatin from the sustained release tablet was slower than the release of both diclofenac and methylparaben despite the higher solubility. This provides an example that fluvastatin has unexpectedly favourable extended release properties when administered as a non-eroding matrix tablet.

20

5

10

EXAMPLE 3: Release from eroding paraffin matrix tablet and from a conventional (immediate release) hard gelatin capsule

25 Fluvastatin or diclofenac (20 mg each) were formulated in an eroding matrix of paraffin (120 mg), lactose (30 mg), ethyl cellulose (3 mg) and magnesium stearate (1.7 mg). The immediate release capsule was a hard gelatine capsule containing 20 mg of fluvastatin.

WO 98/15264 PCT/SE97/01604

The results (Fig. 3) show that release of fluvastatin from the sustained release tablet was slower than the release of diclofenac despite the higher solubility. This provides another example that fluvastatin has unexpectedly favorable extended release properties when administered as a matrix tablet.

5

The drug release for the immediate release capsule was almost immediate in contrast to the duration of drug release of more than 10 hours for fluvastatin sustained-release. This result indicates that the unexpectedly slow release for fluvastatin is not a general property for all kinds of oral fluvastatin formulations, but is limited to certain types of sustained release formulations according to the invention.

EXAMPLE 4: Transport over a diffusion controlling membrane.

15

20

25

30

10

The release rate of fluvastatin sodium and diclofenac sodium was studied over a polymeric membrane from a donor compartment initially containing all drug substance, thus corresponding to a membrane coated formulation containing the active drug, to a receiving chamber which simulated the medium where the drug is released. The release rate was studied at different initial concentrations of the active drug. The solutions (pH 6.8) in the chambers were well stirred and thermostated at +37°C. From the cumulative amount released versus time, the release rates (amount released/time) were determined as the slopes of the linear parts of the curves obtained at steady state. No accumulation in the membrane was found of any of the drugs. The results are presented in Fig. 4 as the release rates versus the concentrations used in the experiments.

The release rate of diclofenac increased as expected when the concentration of diclofenac was increased in the donor chamber. However, surprisingly the release rate of fluvastatin was independent of the concentration of fluvastatin in the donor

compartment, resulting in a release rate of fluvastatin that was much slower compared to diclofenac. This strengthens that an unexpectedly slow release rate can be maintained for fluvastatin in such formulations irrespective of the amount of dissolved drug within a membrane coated formulations.

5

10

15

20

25

30

EXAMPLE 5: Manufacture of pharmaceutical formulations

5.1.

A dosage form adapted, designed and shaped for the oral delivery of fluvastatin sodium to a patient in need of fluvastatin therapy is manufactured as follows: first 30.0 g of fluvastatin sodium, 90.0 g of paraffin, 50.0 g calcium carbonate and 20.0 g sorbitol are screened through a 1.0 mm screen. The screened material are mixed in a planetary mixer for 10 minutes to produce a homogenous blend. Then, a granulation solution is prepared by dissolving 2.0 g ethyl cellulose (10 cps) in 150.0 g 95% ethanol during constant stirring for 6 hours. The granulation solution is slowly added to the dry mixture during agitation, to yield a wet granulation. The granulation is dried at +50°C for 12 hours. After drying, the granulation is passed through a screen of 1.5 mm. Magnesium stearate (2.0 g) is mixed in to the granulate for 3 minutes. Then, 8 mm round tablets, each comprising 30 mg of fluvastatin sodium are compressed in a Korsch® press under a pressure of 25 kN.

5.2.

Fluvastatin sodium (20.0 g), 150.0 g of hydroxypropyl methyl cellulose (molecular weight 30,000), 30.0 g of sorbitol, 30.0 g of sodium aluminium silicate are dry mixed in a planetary mixer for 5 minutes. Then, a granulation solution is prepared by dissolving 10.0 g of polyvinyl pyrrolidone (molecular weight 360,000) in 200 g of 99.5% ethanol. The granulation solution is slowly added to the dry mixture during agitation, to yield a wetted mass. The granulation is dried overnight at +60°C. Next, the granulation is milled in a oscillating granulator through a screen

of 0.7 mm. Magnesium stearate (2.0 g) is mixed with the granulation for 2 minutes. Then, extended release round 10 mm tablets are prepared by compressing the composition with a 30 kN compression force. This fluvastatin tablet comprises 20 mg of fluvastatin sodium.

5

10

5.3.

Fluvastatin sodium (10 g), 50 g of 8,000,000 molecular weight polyethylene oxide, 50 g lactose are dry mixed. Then, 60 g of 99.5% ethanol and the dry mixture are slowly mixed together in a planetary mixer for 5 minutes. The granulate is dried for 12 hours in +45°C. Next, the granulation is passed through a 1.0 mm screen. 1.0 g of magnesium stearate is mixed with the granulation for 2 minutes. Then, extended release round 8 mm tablets are prepared by compressing with a 20 kN compression force. This fluvastatin tablet comprises 10 mg of fluvastatin sodium.

15 5.4.

20

25

30

Fluvastatin tablets is manufactured as follows: first, 3 g of fluvastatin sodium, 20 g of 30,000 molecular weight hydroxypropyl methyl cellulose, 10 g of sodium aluminium silicate and 0.2 g carboxypolymethylene are dry mixed. Then, a granulation solution is prepared by dissolving 2.0 g ethyl cellulose (10 cps) in 20.0 g 99.5% ethanol. The granulation solution is slowly added to the dry mixture during agitation, to yield a wet granulation. The granulate is dried for 12 hours in 45°C. Next, the granulation is passed through a 1.0 mm screen. Sodium stearyl fumarate (0.8 g) is mixed with the granulation for 2 minutes. Then, extended release round 11 mm tablets are prepared by compressing with a 25 kN compression force. This fluvastatin tablet comprises 20 mg of fluvastatin sodium.

5.5.

After the initial forming of beads containing fluvastatin sodium, the beads obtained are coated with the polymeric layer controlling the release from the pellet, example of this coating is described below. The polymeric mixture is

20

dissolved in an organic solvent such as ethanol, isopropyl alcohol and/or methylene chloride. The spraying can be carried out in a coating pan, but is preferably carried out in a fluidized bed.

5	Fluvastatin sodium	300 g
	Methylene chloride	2000 g
	Ethanol 99.5%	1000 g
	SiO ₂ (0.15-0.25)	100 g
10	Polymeric layer	
	Ethyl cellulose 10 cps	65.0 g
	Hydroxypropyl methyl cellulose	15.0 g
	Acetyltributyl citrate	9.0 g
	Methylene chloride	1500 g
15	Isopropylic alcohol	350 g

A solution is prepared by dissolving fluvastatin sodium in 99.5% ethanol and methylene chloride, the solution is then sprayed onto the cores of silicon dioxide in a fluidized bed. 100 g of the beads (fraction 0.4-0.65 mm) are covered with the polymeric layer containing ethyl cellulose 10 cps, hydroxypropyl methyl cellulose and acetyltributyl citrate by spraying a solution of the mentioned substances in methylene chloride and isopropylic alcohol. The coated beads are then filled into hard gelatin capsules.

CLAIMS


10


20

- A pharmaceutical composition for sustained release, said composition comprising a water soluble salt of fluvastatin as active ingredient and being selected from the group comprising matrix formulations, diffusion-controlled membrane coated formulations; and combinations thereof.
 - 2. A pharmaceutical composition according to claim 1 wherein the said water soluble salt of fluvastatin is the sodium salt.
 - 3. A pharmaceutical composition according to claim 1 or 2 which is an eroding matrix formulation.
- A pharmaceutical composition according to claim 3 wherein the matrix
 material is selected from the group comprising polyethylene oxide,
 hydroxypropyl methyl cellulose and paraffin.
 - 5. A pharmaceutical composition according to claim 1 or 2 which is a non-eroding matrix formulation.
 - A pharmaceutical composition according to claim 5 wherein the matrix material is selected from the group comprising xanthane and polyvinylchloride.
- 7. A pharmaceutical composition according to claim 1 or 2 which is a diffusion-controlled membrane coated formulation.
- 8. A pharmaceutical composition according to claim 7 wherein the material for film formation is selected from the group comprising ethyl cellulose,
 30 hydroxypropyl methyl cellulose and hydoxypropyl cellulose.


15


- 9. A pharmaceutical composition according to any one of claims 1 to 8 for use in the treatment of hypercholesterolemia.
- 5 10. The use of a water soluble salt of fluvastatin for the manufacture of a pharmaceutical composition for sustained release, for the treatment of hypercholesterolemia.
- 11. The use according to claim 10 wherein the said pharmaceutical composition is selected from the group comprising matrix formulations, diffusion-controlled membrane coated formulations; and combinations thereof.
 - 12. A method for the treatment of hypercholesterolemia comprising administering to a mammal, including man, a therapeutically effective amount of a pharmaceutical composition for sustained release, comprising a water soluble salt of fluvastatin.
- 13. A method according to claim 12 wherein the said pharmaceutical composition is selected from the group comprising matrix formulations, diffusion 20 controlled membrane coated formulations; and combinations thereof.






2/2








7

INTERNATIONAL SEARCH REPORT

International application No. PCT/SE 97/01604

A. CLASSIFICATION OF SUBJECT MATTER					
IPC6: A61K 9/20, A61K 31/19 According to International Patent Classification (IPC) or to both national classification and IPC					
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols)					
	Glassification by income,				
IPC6: A61K		the fields seembed			
Documentation searched other than minimum documentation to the	extent that such documents are included in	the helds searched			
SE,DK,FI,NO classes as above					
Electronic data base consulted during the international search (name	of data base and, where practicable, search	terms used)			
EMBASE, MEDLINE, WPI, CAPLUS, CLAIMS	*	-			
C. DOCUMENTS CONSIDERED TO BE RELEVANT		I			
Category* Citation of document, with indication, where app	propriate, of the relevant passages	Relevant to claim No.			
X US 5356896 A (MOHAN B. KABADI ET _18 October 1994 (18.10.94), line 28 - column 5, line 40	US 5356896 A (MOHAN B. KABADI ET AL), -18 October 1994 (18.10.94), column 4, line 28 - column 5, line 40				
	•				
A EP 0465096 A1 (MERCK & CO. INC.) (08.01.92)	EP 0465096 A1 (MERCK & CO. INC.), 8 January 1992 (08.01.92)				
	•				
Further documents are listed in the continuation of Box C. X See patent family annex.					
* Special categories of cited documents: "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand					
"A" document defining the general state of the art which is not considered to be of particular relevance "E" erlier document but published on or after the international filing date "X" document of particular relevance: the claimed invention cannot be					
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other	considered novel or cannot be considered novel or cannot be considered step when the document is taken along	ered to involve an inventive			
special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means	"Y" document of particular relevance: the considered to involve an inventive ste combined with one or more other suc being obvious to a person skilled in t	p when the document is the documents, such combination			
"P" document published prior to the international filing date but later than the priority date claimed	"&" document member of the same paten				
Date of the actual completion of the international search Date of mailing of the international search report					
		0 6 -02- 1998			
2 February 1998 Name and mailing address of the ISA/	Authorized officer				
Swedish Patent Office					
Box 5055, S-102 42 STOCKHOLM Facsimile No. +46 8 666 02 86 Anneli Jönsson Telephone No. +46 8 782 25 00					





INTERNATIONAL SEARCH REPORT

PCT/SE 97/01604

Box I	Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)				
This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons					
1. X	Claims Nos.: 12-13 because they relate to subject matter not required to be searched by this Authority, namely: Remark: Claims 12-13 are directed to methods of treatment of the human or animal body by a therapy method practised on the human or animal body/Rule 39.1(iv). Nevertheless, a search has been executed for these claims. The search has been based on the alleged effects of the compositions.				
2.	Claims Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:				
3.	Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).				
Box II	Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)				
This International Searching Authority found multiple inventions in this international application, as follows:					
-	****.				
1.	As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.				
2.	As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.				
3.	As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:				
4. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:					
Remark	on Protest The additional search fees were accompanied by the applicant's protest.				
	No protest accompanied the payment of additional search fees.				



7

International application No.

PCT/SE 97/01604

Information on patent family members

07/01/98

Patent document cited in search report	Publication date		Patent family member(s)	Publication date
US 5356896 A	18/10/94	AT	190595 A	15/05/96
		AT	244992 A	15/05/96
		ΑT	401870 B	27/12/96
		ΑT	401872 B	27/12/96
		AU	661075 B	13/07/95
		AU	3006992 A	17/06/93
	•	CA	2085037 A	13/06/93
		CH	684309 A	31/08/94
		· DE	4240430 A	17/06/93
•		EP	0547000 A	16/06/93
		FI	925615 A	13/06/93
		FR	2684876 A,B	18/06/93
		GB	2262229 A,B	16/06/93
		HK	25597 A	06/03/97
		HU	9203780 D	00/00/00
		IT	1256698 B	12/12/95
		IT	RM920870 D	00/00/00
		JP	5246844 A	24/09/93
		LU	88201 A	09/09/94
		MX	9207152 A	01/07/93
		NZ	245421 A	27/11/95
		NZ	270729 A	27/11/95
		SK	363392 A	09/11/94
		ZA	9209642 A	13/06/94
EP 0465096 A1	08/01/92	CA	2045428 A	27/12/91
		JP	4243838 A	31/08/92
		US	5376383 A	27/12/94